

EXTERIOR FINISH SCHEDULE

THIS LEGEND IS PROVIDED FOR REFERENCE PURPOSES ONLY. PRODUCTS/COLORS INDICATED ARE BASED ON BASIS OF DESIGN MANUFACTURERS. REFER TO SPECIFICATIONS FOR LIST OF ACCEPTED EQUAL MANUFACTURERS/PRODUCTS.


SPEC SECTION	MAT'L	MARK	COLOR: BASIS OF DESIGN
042000	RUBBLE	GREY	
092400	STUCCO		COLOR AS SELECTED BY ARCHITECT
079200	SEALANTS		ALL SEALANTS USED IN MASONRY CONTROL JOINTS SHALL MATCH THE MASONRY MORTAR
			ALL SEALANTS USED TO SEAL AROUND EXTERIOR WINDOWS AND DOOR FRAMES SHALL MATCH THE WINDOW AND DOOR FRAME COLOR.
081433	WOOD DOORS AND FRAMES		PAINT COLOR AS SELECTED BY ARCHITECT TO MATCH EXISTING DOORS AND FRAMES
080352.99	WOOD WINDOWS		PAINT COLOR AS SELECTED BY ARCHITECT TO MATCH EXISTING WINDOWS
062013	WOOD TRIM, BRACKETS, FASCIAS		STAIN COLOR AS SELECTED BY ARCHITECT TO MATCH EXISTING WOOD TRIM
062013	WOOD STAIR STRUCTURE, TREADS, RISERS AND RAILINGS		STAIN COLOR AS SELECTED BY ARCHITECT TO MATCH EXISTING WOOD TRIM
080352.99	GLAZING		BROKEN OR CRACKED GLASS TO BE REPLACED WITH SAME THICKNESS AS ORIGINAL

General Elevation Notes

- A. Contractor to field verify all existing sizes, dimensions, configurations, and conditions prior to bid.
- B. Contractor to remove all abandoned downspout hangers, abandoned electrical conduit and insulators, all storm window hardware, and all extraneous hangers, brackets, ect. From the exterior face of the building. Fill all nailscrew holes.
- C. Coordinate all exterior work noted below with the exterior window and door work identified on Sheets A-211, A-212 and A-213.
- D. When the bottom wood siding board and batten are removed as described in General Work Note #1 below, Contractor is to inspect, with the Architect, the existing wood sill plate, wood studs, wood sheathing, wood floor joists, etc. as visibility permits. The intent of this inspection is to identify any conditions of damage/deterioration, and to accordingly identify required repairs through the Structural/Rough Framing Allowance - refer to Section 01020 of the Project Manual.
- E. Where existing siding, trim, plaster, etc. is being removed from the exterior walls of the house, provide and install new 4" fiberglass batt wall insulation only where existing wall insulation is lost or damaged.
- F. Strip, recaulk where needed and paint/stain as specified all new and existing (both sides) exterior wood siding, trim, eaves, soffits, brackets, etc. color as selected by Architect. Refer to Specification Section 095900.
- G. Replace all spangy wood.
- H. Full roof replacement. Match size, color and style of existing roof.
- I. Coordinate recreated work with Demolition AD sheets.
- J. ALL NEW EXTERIOR WOOD SIDING, BATTENS, TRIM, AND OTHER VISIBLE EXTERIOR WOOD COMPONENTS ARE TO MATCH THE PROFILE, SIZE, WOOD SPECIES, AND DIMENSION OF THE EXISTING.

BUILDING ELEVATION NOTES

- | # | Note |
|----|---|
| 1 | REINAIL DECORATIVE WOOD DETAIL. TYP. REFER TO 1A/A-212.3 FOR IMAGE. |
| 2 | REPLACE GUTTERS TO MATCH THE LOCATION, PROFILE AND DIMENSIONS OF THE EXISTING GUTTERS |
| 3 | FILL IN MOULDING BETWEEN ROOF JOISTS. FILL ANY GAPS WITH SEALANT. REFER TO 2A/A-212.3 FOR IMAGE. |
| 4 | CLEAN EXISTING STAIRTREADS AND REINSTALL. |
| 5 | REINAIL WOOD BATTEN TYPICAL OF INSTANCE OF LOOSE BATTEN. FILL IN ANY GAPS WITH SEALANT. REFER TO 4A/A-212.3 FOR IMAGE. |
| 6 | RECREATE COMPONENT TO MATCH THE PROFILE, SIZE, AND DIMENSIONS OF THE EXISTING DETAIL. |
| 7 | FILL GAP WITH SEALANT. COLOR TO MATCH SURROUNDINGS. |
| 8 | RECREATE BOARD AND BATTEN WITH COMPONENTS TO MATCH THE PROFILE, SIZE, AND DIMENSIONS OF THE EXISTING PLANKS. |
| 9 | REPLACE MISSING VENT WITH COMPONENT TO MATCH DETAIL. SIZE AND DIMENSIONS OF THE EXISTING. REFER TO 5A/A-212.3 FOR IMAGE. |
| 10 | REPLACE CRACKED BEADBOARD. MATCH THE COMPONENTS DETAIL, SIZE AND DIMENSIONS OF THE EXISTING. REFER TO 1B/A-213.3 FOR IMAGE. |
| 11 | REPLACE MOULDING. MATCH THE MOULDING DETAIL. SIZE AND DIMENSIONS OF THE EXISTING. REFER TO 2B/A-212.3 FOR IMAGE. |
| 12 | NEW PIECE OF WOOD BETWEEN WINDOW AND SILL. MATCH PROFILE, SIZE AND DIMENSIONS OF SIMILAR WINDOWS. REFER TO 2A/A-212.3 FOR IMAGE. |
| 13 | FILL CRACKED BOARD. REFER TO 6A/A-212.3 FOR IMAGE. |
| 14 | REGLAZE WINDOW. |
| 15 | REPAIR CRACKING POSTS. REFER TO 3B/A-212.3 AND 4B/A-212.3 FOR IMAGE. |
| 16 | FIX SAGGING POST AND REPLACE BATTEN BOARD TO MATCH THE LOCATION, PROFILE AND DIMENSIONS OF THE EXISTING BOARDS. REFER TO 5B/A-212.3 FOR IMAGE. |
| 17 | EXTERIOR CHIMNEY REPAIR ALTERNATE: SEE SPECIFICATION "SECTION 012300-ALTERNATES" |
| 18 | NEW FASCIA. REPLICATE PROFILE, SIZE AND DIMENSIONS OF THE EXISTING. |
| 19 | REFINISH DOOR AND SCREEN DOOR. REMOVE AND REPLACE ANY PIECES TO MATCH THE PROFILE, SIZE, AND DIMENSIONS OF THE EXISTING DOOR AND SCREEN DOOR. REPLACE SCREEN DOOR. REMOVE, PROTECT, CLEAN, AND REINSTALL EXISTING DOOR AND SCREEN DOOR HARDWARE. REFER TO 6B/A-212.3 FOR IMAGE. |
| 20 | REPLACE WITH BATTEN WOOD AS REQUIRED TO RE-ESTABLISH THE SHAPE OF THE END OF THE BATTEN BOARD AND SIDING BOARD. |
| 21 | FILL HOLE IN BEADBOARD SOFFIT. REFER TO 1C/A-212.3 FOR IMAGE. |
| 22 | REPLICATE PROFILE, SIZE, AND DIMENSIONS OF THE EXISTING. |
| 23 | REPLACE BATTEN BOARDS WITH TALLER PROFILE, SIZE, AND DIMENSIONS OF THE EXISTING. VIF. |
| 24 | NEW VENEER TO MATCH SPECIES AND GRAIN OF EXISTING DOOR. STRIP AND REFINISH ENTIRE DOOR AND SCREEN DOOR. REPLACE SCREEN IN SCREEN DOOR. REMOVE, PROTECT, CLEAN, AND REINSTALL EXISTING DOOR AND SCREEN DOOR HARDWARE. REFER TO 2C/A-212.3 FOR IMAGE. |
| 25 | STRIP EXISTING SEALANT AND RECAULK SEALANT. REFER TO 1D/A-212.3 FOR IMAGE. |
| 26 | REPAIR SPALLING ROCK FOUNDATION. REFER TO 2E/A-212.3 FOR IMAGE. |
| 27 | REPLACE TOP WYTHE WITH SIMILAR BRICK TYPE AND SIZE REGROUT BRICK. |
| 28 | REPLACE WITH NEW PLYWOOD TO MATCH EXISTING DIMENSIONS AND STYLE. PAINT FINISH TO BE COORDINATED WITH ARCHITECT. REPLACE GLASS WITH NEW MECHANICAL LOUVER. COORDINATE WITH M-SERIES DWGS. |
| 29 | REPLACE EXISTING PLYWOOD TO MATCH EXISTING DIMENSIONS AND STYLE. PAINT FINISH TO BE COORDINATED WITH ARCHITECT. REPLACE GLASS WITH NEW MECHANICAL LOUVER. COORDINATE WITH M-SERIES DWGS. |
| 30 | FILL IN GAP BETWEEN BOARD AND BATTEN WITH SEALANT. PAINT SEALANT TO MATCH EXTERIOR FINISH. REFER TO 3D/A-212.3 FOR IMAGE. |
| 31 | NEW BATTEN TO MATCH THE PROFILE, SIZE AND DIMENSIONS OF THE EXISTING. |
| 32 | INFILL HOLE WITH EXPANDABLE FOAM AROUND PIPING. REFER TO 4D/A-212.3 FOR IMAGE. |
| 33 | STRIP EXISTING SEALANT AND RECAULK SEALANT. REFER TO 5C/A-212.3 FOR IMAGE. |
| 34 | PEELING PAINT. STRIP AND REPAINT. REFER TO 5D/A-212.3 FOR IMAGE. |
| 35 | REPLACE BOTTOM RAIL TO MATCH THE PROFILE, SIZE AND DIMENSIONS OF THE EXISTING RAIL. |
| 36 | REPLACE WOOD DETAILS WITH COMPONENT TO MATCH THE PROFILE, SIZE, AND DIMENSIONS OF THE EXISTING DETAIL. |
| 37 | REPLICATE PROFILE, SIZE, AND DIMENSIONS OF EXISTING BRACKETS. |
| 38 | MISSING BRACKET. REPLICATE PROFILE, SIZE, AND DIMENSIONS OF THE EXISTING. REFER TO 6D/A-212.3 FOR IMAGE. |
| 39 | NEW FLASHING TO MATCH PROFILE, SIZE AND DIMENSIONS OF THE EXISTING. |
| 40 | REFINISH FASCIA. REFER TO 1A/A-213.3 FOR IMAGE. |
| 41 | NEW LOUVER TO MATCH THE PROFILE, SIZE, AND DIMENSIONS OF THE EXISTING LOUVER. |
| 42 | REPLACE MISSING ELECTRICAL COVER TO MATCH SIMILAR COVERS. REFER TO 1B/A-213.3 FOR IMAGE. |
| 43 | REINAIL FASCIA. |
| 44 | NEW FASCIA AND BEADBOARD. MATCH WOOD TYPE, PROFILE, DIMENSIONS AND LOOK OF EXISTING FASCIA AND BEADBOARD. |



5B PARTIAL WEST ELEVATION
3/16" = 1'-0"



4B PARTIAL WEST ELEVATION
3/16" = 1'-0"



2B WEST ELEVATION
3/16" = 1'-0"



2A NORTH ELEVATION
3/16" = 1'-0"

SCHMIDT ASSOCIATES
schmidt-arch.com • 317.263.6226
415 Massachusetts Ave., Indianapolis, IN 46204
731 Brent St., #203, Louisville, KY 40204

Project No. 2021-036.GAH
Project Date 01.08.2026
Produced TM

These Drawings and Specifications, and all copies thereof are and shall remain the property and copyright of the Architect. They shall be used only with respect to this Project and are not to be used on any other Project or Work without prior written permission from the Architect.

#	Revision	Date

3705 IN SR 16
Brook, IN 47922

NEWTON COUNTY BOARD OF COMMISSIONERS

HAZELDEN ESTATE RESTORATION - HOUSE RESTORATION - BID PACKAGE 3

NORTH AND WEST ELEVATIONS

A-210.3

HAZELDEN ESTATE RESTORATION - HOUSE RESTORATION - BID PACKAGE 3 - NORTH AND WEST ELEVATIONS
DRAWING NUMBER: A-210.3
DATE: 01/08/2026
PROJECT: 2021-036.GAH



SCHMIDT ASSOCIATES
 schmidt-arch.com • 317.263.6226
 415 Massachusetts Ave., Indianapolis, IN 46204
 731 Brent St. #203, Louisville, KY 40204

Project No. 2021-036.GAH
 Project Date 01.08.2026
 Produced MEW TM



Sarah K. Hempstead
 These Drawings and Specifications, and all copies thereof are and shall remain the property and copyright of the Architect. They shall be used only with respect to this Project and are not to be used on any other Project or Work without prior written permission from the Architect.

#	Revision	Date

3705 IN SR 16
 Brook, IN 47922

NEWTON COUNTY BOARD OF COMMISSIONERS

HAZELDEN ESTATE RESTORATION - HOUSE RESTORATION - BID PACKAGE 3


ELEVATION DETAILS

A-212.3



2E REFERENCE IMAGE
 1 1/2" = 1'-0"

RECREATE LOWER DOOR PANEL CONFIGURATION. NEW VENEER TO MATCH SPECIES AND GRAIN OF EXISTING DOOR. STRIP AND REFINISH ENTIRE DOOR AND SCREEN DOOR. REMOVE, PROTECT, CLEAN, AND REINSTALL EXISTING DOOR HARDWARE. REFER TO 2C/A-212.3 FOR IMAGE.



2C REFERENCE IMAGE
 1 1/2" = 1'-0"

REPLACE MOULDING. MATCH THE MOULDING DETAIL, SIZE AND DIMENSIONS OF THE EXISTING.



2B REFERENCE IMAGE
 1 1/2" = 1'-0"

FILL IN MOLDING BETWEEN ROOF JOISTS. FILL ANY GAPS WITH SEALANT.




4 REFERENCE IMAGE
 1 1/2" = 1'-0"

STRIP EXISTING SEALANT AND RECAULK SEALANT.



1D REFERENCE IMAGE
 1 1/2" = 1'-0"

FILL HOLE IN BEADBOARD SOFFIT.



1C REFERENCE IMAGE
 1 1/2" = 1'-0"

REPLACE CRACKED BEADBOARD. MATCH THE COMPONENTS DETAIL, SIZE AND DIMENSIONS OF THE EXISTING.




1B REFERENCE IMAGE
 1 1/2" = 1'-0"

REINAIL DECORATIVE WOOD DETAIL.



3 REFERENCE IMAGE
 1 1/2" = 1'-0"

FILL IN GAP BETWEEN BOARD AND BATTEN WITH SEALANT. PAINT SEALANT TO MATCH EXTERIOR FINISH.



3D REFERENCE IMAGE
 1 1/2" = 1'-0"

INFILL HOLE WITH EXPANDABLE FOAM AROUND PIPING.



4D REFERENCE IMAGE
 1 1/2" = 1'-0"

REPAIR CRACKING POSTS.



4B REFERENCE IMAGE
 1 1/2" = 1'-0"



3B REFERENCE IMAGE
 1 1/2" = 1'-0"

REINAIL WOOD BATTEN TYPICAL OF INSTANCE OF LOOSE BATTEN. FILL IN ANY GAPS WITH SEALANT.



4A REFERENCE IMAGE
 1 1/2" = 1'-0"

PEELING PAINT. STRIP AND REPAINT.



5D REFERENCE IMAGE
 1 1/2" = 1'-0"

STRIP EXISTING SEALANT AND RECAULK SEALANT.



5C REFERENCE IMAGE
 1 1/2" = 1'-0"

FIX SAGGING POST AND REPLACE BATTEN BOARD TO MATCH THE LOCATION, PROFILE AND DIMENSIONS OF THE EXISTING BOARDS.



5B REFERENCE IMAGE
 1 1/2" = 1'-0"

REPLACE MISSING VENT WITH COMPONENT TO MATCH DETAIL, SIZE AND DIMENSIONS OF THE EXISTING.



5A REFERENCE IMAGE
 1 1/2" = 1'-0"

MISSING BRACKET. REPLICATE PROFILE, SIZE, AND DIMENSIONS OF THE EXISTING.



6D REFERENCE IMAGE
 1 1/2" = 1'-0"

REFINISH DOOR. REMOVE AND REPLACE ANY PIECES TO MATCH THE PROFILE, SIZE, AND DIMENSIONS OF THE EXISTING DOOR.



6B REFERENCE IMAGE
 1 1/2" = 1'-0"

FILL CRACKED BOARD.



6A REFERENCE IMAGE
 1 1/2" = 1'-0"

HAZELDEN ESTATE RESTORATION - HOUSE RESTORATION - BID PACKAGE 3
 3705 IN SR 16, BROOK, IN 47922
 PROJECT NO. 2021-036.GAH
 PROJECT DATE 01.08.2026
 PRODUCED MEW TM

6 5 4 3 2 1

E
D
C
B
A



Project No. 2021-036.GAH
 Project Date 01.08.2026
 Produced MEW TM



These Drawings and Specifications, and all copies thereof are and shall remain the property and copyright of the Architect. They shall be used only with respect to this Project and are not to be used on any other Project or Work without prior written permission from the Architect.

#	Revision	Date


3705 IN SR 16
 Brook, IN 47922

NEWTON COUNTY BOARD OF COMMISSIONERS

HAZELDEN ESTATE RESTORATION - HOUSE RESTORATION - BID PACKAGE 3

ELEVATION DETAILS

A-213.3



1B REFERENCE IMAGE
 1 1/2" = 1'-0"



1A REFERENCE IMAGE
 1 1/2" = 1'-0"



2A REFERENCE IMAGE
 1 1/2" = 1'-0"

REPLACE MISSING ELECTRICAL COVER TO MATCH SIMILAR COVERS.

NEW PIECE OF WOOD BETWEEN WINDOW AND SILL. MATCH PROFILE, SIZE AND DIMENSIONS OF SIMILAR WINDOWS.

REFINISH FASCIA.

HAZELDEN ESTATE RESTORATION - HOUSE RESTORATION - BID PACKAGE 3
 DETAIL: ELEVATION DETAILS - HOUSE RESTORATION - BID PACKAGE 3
 01/08/2026
 MEW

6 5 4 3 2 1

6

5

4

3


2

1


5.4.401 - RESTROOM ACCESSORY SCHEDULE

Type Mark	Keynote	Description	Mounting	Furnished By	Installed By
A1	10 28 00	GRAB BAR - 36" HORIZONTAL	TOP @ 2'-11" AFF	CONTRACTOR	CONTRACTOR
A2	10 28 00	GRAB BAR - 42" HORIZONTAL	TOP @ 2'-11" AFF	CONTRACTOR	CONTRACTOR
A4	10 28 00	MIRROR - 24" X 36"	BOTTOM @ 4" ABOVE FIXTURE	CONTRACTOR	CONTRACTOR
A8*	10 28 00	EXISTING TOILET PAPER DISPENSER	BOTTOM @ 1'-6" AFF	EXISTING	CONTRACTOR
A9	10 28 00	TOILET TISSUE DISPENSER - SINGLE	BOTTOM @ 1'-6" AFF	CONTRACTOR	CONTRACTOR
A10	08 31 13	ACCESS DOOR - 16" X 16"	BOTTOM @ 4 1/2" AFF	CONTRACTOR	CONTRACTOR


* EXISTING TOILET PAPER DISPENSER TO BE REMOVED, PROTECTED, AND REINSTALLED BY THE CONTRACTOR.



4C WOOD RAILING
1/2" = 1'-0"







3C SECOND FLOOR ENLARGED RESTROOM
1/2" = 1'-0"




2C FIRST FLOOR ENLARGED RESTROOM
1/2" = 1'-0"

1C FIRST FLOOR ENLARGED RESTROOM
1/2" = 1'-0"


1D STANDARD RESTROOM ELEVATIONS
1/2" = 1'-0"




5B WALL SECTION DETAIL
1 1/2" = 1'-0"




4B WOOD RAILING
3/4" = 1'-0"




2B STAIR SECTION
1/2" = 1'-0"




1B FIRST FLOOR ENLARGED STAIR
1/2" = 1'-0"




5A BATHROOM WALL SECTION
3/4" = 1'-0"



4A KITCHEN WALL SECTION
3/4" = 1'-0"



3A WALL SECTION
3/4" = 1'-0"



1A BUILDING SECTION
1/4" = 1'-0"

SCHMIDT ASSOCIATES
schmidt-arch.com • 317.263.6226
415 Massachusetts Ave., Indianapolis, IN 46204
731 Brent St., #203, Louisville, KY 40204

Project No. 2021-036.GAH
Project Date 01.08.2026
Produced MEW TM

Sarah K. Hempstead

#	Revision	Date


3705 IN SR 16
Brook, IN 47922

NEWTON COUNTY BOARD OF COMMISSIONERS


HAZELDEN ESTATE RESTORATION - HOUSE RESTORATION - BID PACKAGE 3

BUILDING SECTIONS, WALL SECTIONS AND ENLARGED PLANS
A-300.3


MADE IN ACCORDANCE WITH THE NATIONAL ARCHITECTURAL BOARD OF STANDARDS AND PRACTICES
 DESIGNATED BY THE BOARD OF COMMISSIONERS, HAZELDEN ESTATE RESTORATION, PROJECT NO. 2021-036.GAH
 DRAWING NO. A-300.3




4E HEAD - EXTERIOR
1 1/2" = 1'-0"



4D JAMB - EXTERIOR
1 1/2" = 1'-0"



4C HEAD - INTERIOR
1 1/2" = 1'-0"




4B JAMB - INTERIOR
1 1/2" = 1'-0"




3A REFERENCE IMAGE
1 1/2" = 1'-0"

MARK	DOOR & FRAME SCHEDULE										HDWR SET	NOTES	MARK
	DOOR PANEL					FRAME							
	TYPE	QTY	MATL	GLAZ	SIZE	MARK	MATL	GLAZ	LABEL				
108.3	F1	1	WD	--	7'-10"	3'-0"	0'-1 3/4"	F1	ETR	--	06	3.4	108.3
110.1	FG	1	ACW	IG	7'-0"	3'-0"	0'-1 3/4"	ACW	IG	--	07	3.5	110.1
110.2	FG	1	ACW	IG	7'-0"	3'-0"	0'-1 3/4"	SF1	ACW	IG	08	3.5	110.2
X001	F	1	ETR	--	6'-2"	2'-6"	0'-1 3/4"	ETR	--	--	01	1	X001
X101.1	G3 MH	1	ETR	ETR	7'-0"	4'-0"	0'-1 3/4"	ETR	ETR	--	02	6	X101.1
X101.2	G3 MH	1	WD	ETR	7'-0"	3'-0"	0'-1 3/4"	ETR	--	--	02	6	X101.2
X102.1	FG	2	ETR	ETR	7'-10"	3'-10"	0'-1 3/4"	ETR	--	--	01	1	X102.1
X102.2	FG	2	ETR	ETR	7'-10"	3'-10"	0'-1 3/4"	ETR	--	--	01	1	X102.2
X103	G	1	ETR	ETR	7'-0"	2'-8"	0'-1 3/4"	ETR	--	--	03	2	X103
X105.1	F	1	ETR	--	7'-0"	3'-0"	0'-1 3/4"	ETR	--	--	04	6	X105.1
X105.2	F	1	ETR	--	7'-0"	3'-0"	0'-1 3/4"	ETR	--	--	02	6	X105.2
X106	G	1	ETR	ETR	7'-0"	2'-8"	0'-1 3/4"	ETR	--	--	02	6	X106
X107.1	F	1	ETR	--	7'-0"	3'-0"	0'-1 3/4"	ETR	--	--	01	1	X107.1
X107.2	F	1	ETR	--	7'-0"	2'-0"	0'-1 3/4"	ETR	--	--	01	1	X107.2
X108	F	1	ETR	--	7'-0"	3'-0"	0'-1 3/4"	ETR	--	--	01	1	X108
X109.1	F	1	ETR	--	7'-0"	3'-0"	0'-1 3/4"	ETR	--	--	01	1	X109.1
X109.2	F	1	ETR	--	7'-0"	2'-8"	0'-1 3/4"	ETR	--	--	01	1	X109.2
X111	F	1	ETR	--	7'-0"	2'-10"	0'-1 3/4"	ETR	--	--	01	1	X111
X112.1	F	1	ETR	--	7'-0"	3'-0"	0'-1 3/4"	ETR	--	--	01	1	X112.1
X112.2	F	1	ETR	--	7'-0"	2'-8"	0'-1 3/4"	ETR	--	--	01	1	X112.2
X112A	F	1	ETR	--	5'-6"	2'-4"	0'-1 3/4"	ETR	--	--	01	1	X112A
X113	G1	1	WD	ETR	7'-0"	2'-8"	0'-1 3/4"	ETR	--	--	02	6	X113
X114	F	1	ETR	--	7'-0"	2'-8"	0'-1 3/4"	ETR	--	--	01	1	X114
X114A	F	1	ETR	--	5'-6"	2'-4"	0'-1 3/4"	ETR	--	--	01	1	X114A
X115.1	F	1	ETR	--	5'-6"	2'-4"	0'-1 3/4"	ETR	--	--	01	1	X115.1
X115.2	F	1	ETR	--	5'-6"	2'-4"	0'-1 3/4"	ETR	--	--	01	1	X115.2
X202	F	1	ETR	--	7'-0"	2'-8"	0'-1 3/4"	ETR	--	--	01	1	X202
X202A	F	1	ETR	--	7'-0"	2'-6"	0'-1 3/4"	ETR	--	--	01	1	X202A
X202B	F	1	ETR	--	7'-0"	2'-6"	0'-1 3/4"	ETR	--	--	01	1	X202B
X203	FG	1	ETR	ETR	7'-0"	2'-8"	0'-1 3/4"	ETR	--	--	01	1	X203
X204	F	1	ETR	--	7'-0"	2'-8"	0'-1 3/4"	ETR	--	--	01	1	X204
X204A	F	1	ETR	--	7'-0"	2'-6"	0'-1 3/4"	ETR	--	--	01	1	X204A
X204B	F	1	ETR	--	7'-0"	2'-6"	0'-1 3/4"	ETR	--	--	01	1	X204B
X205.1	F	1	ETR	--	7'-0"	2'-6"	0'-1 3/4"	ETR	--	--	01	1	X205.1
X205.2	F	1	ETR	--	7'-0"	2'-6"	0'-1 3/4"	ETR	--	--	01	1	X205.2
X205.3	F	1	ETR	--	7'-0"	2'-6"	0'-1 3/4"	ETR	--	--	01	1	X205.3
X206.1	F	1	ETR	--	7'-0"	2'-8"	0'-1 3/4"	ETR	--	--	01	1	X206.1
X206.2	F	1	ETR	--	7'-0"	2'-8"	0'-1 3/4"	ETR	--	--	01	1	X206.2
X206A	F	1	ETR	--	7'-0"	2'-8"	0'-1 3/4"	ETR	--	--	01	1	X206A
X206B	F	1	ETR	--	5'-6"	2'-4"	0'-1 3/4"	ETR	--	--	01	1	X206B
X207A	F	1	ETR	--	5'-0"	1'-6"	0'-1 3/4"	ETR	--	--	01	1	X207A
X207B	F	1	ETR	--	5'-0"	2'-0"	0'-1 3/4"	ETR	--	--	01	1	X207B
X208	F	1	ETR	--	7'-0"	2'-8"	0'-1 3/4"	ETR	--	--	06	2.3	X208
X208A	F	1	ETR	--	5'-6"	2'-4"	0'-1 3/4"	ETR	--	--	01	1	X208A
X209	F	1	ETR	--	7'-0"	2'-6"	0'-1 3/4"	ETR	--	--	01	1	X209
X210.1	F	1	ETR	--	7'-0"	2'-6"	0'-1 3/4"	ETR	--	--	01	1	X210.1
X210.2	F	1	ETR	--	7'-0"	2'-6"	0'-1 3/4"	ETR	--	--	01	1	X210.2
X210A	F	1	ETR	--	5'-6"	2'-4"	0'-1 3/4"	ETR	--	--	01	1	X210A
X210B	F	1	ETR	--	5'-6"	2'-4"	0'-1 3/4"	ETR	--	--	01	1	X210B

- GENERAL NOTES**
- This Door Schedule(s) is furnished for whatever assistance it may afford the Contractor. Do not consider it as entirely inclusive. Carefully examine the Drawings (especially the Floor Plans) and the Specifications to determine the extent of door and frame quantities required (including interior borrowed lite or sidelite openings). Should any particular door, frame, or interior borrowed lite or sidelite shown on the Drawings be inadvertently omitted from this Schedule, supply same as required for similar openings.
 - The "QTY" column designates the number of leaves in the opening. The "Door Width" column designates the total width of all leaves. In multiple leaf conditions, the leaves shall equally divide the "Door Width" unless noted otherwise; however, the active leaf shall not be less than 3'-0" wide.
 - Door Type "X" denotes a frame with no door such as a borrowed lite, reference Frame Elevations.
 - An asterisk (*) in a dimension denotes a width that varies, reference plans, elevations, details and schedules.
 - Verify locksets with the Owner during submittals.
- ABBREVIATIONS**
- AL Aluminum
 - HM Hollow Metal
 - ST Steel
 - WD Wood
 - TG Tempered Glazing
 - IG Insulated Glazing
 - IG-F Insulated Glazing-Frosted
 - LG Laminated Glazing
 - FG Frosted Glazing
 - SP Spandrel Panel
 - ACW Aluminum Clad Wood
 - ETR Existing to Remain
- DOOR & FRAME SCHEDULE NOTES**
See Door Schedule
- Existing door and frame to remain. No new hardware.
 - Existing door and frame to remain. New hardware only. Field verify all existing door and frame information as required for installation of new hardware.
 - Card reader.
 - Existing frame to remain. New door to match dimensions of existing doors in kitchen and restroom shown in Detail 3A/A-600. Verify door and panel thicknesses of existing doors.
 - New door and frame.
 - Existing door and frame to remain. Re-key existing hardware. Field verify all existing door and frame information as required for re-keying.




5.4.602 - DOOR PANEL ELEVATIONS
1/4" = 1'-0"



5.4.603 - FRAME ELEVATIONS
1/4" = 1'-0"



Project No. 2021-036.GAH
Project Date 01.08.2026
Produced MEW.TM



These Drawings and Specifications, and all copies thereof are and shall remain the property and copyright of the Architect. They shall be used only with respect to this Project and are not to be used on any other Project or Work without prior written permission from the Architect.

#	Revision	Date

3705 IN SR 16
Brook, IN 47922

NEWTON COUNTY
BOARD OF
COMMISSIONERS

HAZELDEN
ESTATE
RESTORATION -
HOUSE
RESTORATION -
BID PACKAGE 3

DOOR & FRAME
SCHEDULE

A-600.3